

CERTIFICATE OF CONFORMITY OF PRODUCTION CONTROL

No. 2956-CPR-094

Version 0

According to the Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (Construction products regulation or CPR), this certificate applies to the following construction products:

solid wood panelling and cladding

Type of product, parameters are specified in Annex No. 1

placed on the market under the name of the manufacturer or brand

DARKSIDEWOOD UAB

Nemenčinės hwy. 230A, Miškonių vlg., LT-15165 Vilniaus dist.

manufacturer, manufacturing address

DARKSIDEWOOD UAB

Taurijos str. 45, 13110 Linkos, Mickūnų eld., Vilniaus dist.

This certificate certifies that all the provisions relating to the assessment and verification of constancy of operational characteristics, described in Annex ZA of the standard


EN 14915:2014

under the 1 scheme, are applied and

the factory production control is assessed to be in conformity with the applicable requirements.

The certificate was first issued on 18-05-2026 and is valid until the above-mentioned harmonized standard, the construction product, the methods for assessing and verifying constancy of operational characteristics, or the conditions of manufacture are substantially modified in the production process, unless the notified certification body suspends or terminates its validity.

Date of issue **18-05-2026**



Director
Vaidas Mugauskas



Certificate verification

The scope and validity of the certificate is shown in the QR code:
Unique code 4SLSUB for verifying the certificate on the website:
<https://euromatas.lt/sertifikato-tikrinimas>



CERTIFICATE OF CONFORMITY OF PRODUCTION CONTROL

No 2956-CPR-094 Annex No. 1


Version 0

Product type: Indoor and outdoor panelling and cladding for walls and ceilings

Product identification and classification:

Name of the product	Thickness	Species code according to EN 13556	Reaction to fire according to EN 13501-1	Formaldehy de content according to EN 717-1	Preservative calss according to EN 355
Charred larch cladding DARKSIDEWOOD Carbon	≥ 19 mm	LADC, LAOC	D-s2,d0	E1	3
Charred larch cladding finished with fire retardant Ultra	≥ 19 mm	LADC, LAOC	B-s1,d0	E1	3
Charred brushed larch cladding finished with Woca Exterior Wood Oil	≥ 17 mm	LADC, LAOC	D-s2,d0	E1	3
Charred spruce cladding finished with fire retardant Ultra	≥ 17 mm	PCAB	D-s2,d0	E1	4
Charred brushed spruce cladding finished with fire retardant Ultra (extra)	≥ 17 mm	PCAB	B-s1,d0	E1	4

Date of the Annex No. 1 issue **18-05-2026**


 Director
 Vaidas Mugauskas

Certificate verification

The scope and validity of the certificate is shown in the QR code:
 Unique code 4SLSUB for verifying the certificate on the website:
<https://euromatas.lt/sertifikato-tikrinimas>

